


Q1 Below are the 5 Millbank report definitions of primary care. Please RANK the definitions for our group to use as the starting point for our own definition of primary care. Please keep in mind that this definition will need to be one that can be practically measured in current health systems.





	1	2	3	4	5	TOTAL	SCORE
Provider-based: All medical services delivered by primary care providers (including non-evaluation and management [E&M] services, such as office-based procedures). In this definition, primary care providers are identified by specialty, the setting in which the provider typically delivers care, and health insurer designation.	42.86% 3	28.57%	14.29%	0.00%	14.29%	7	3.86
Service-based, Starfield version: Services that support the fulfillment of four cardinal functions of primary care (comprehensive care, first-contact care for a wide variety of conditions, coordinated care, longitudinal care). There are no widely accepted claims-based measures corresponding to these cardinal functions. The closest approximations to one of these dimensions (longitudinal care) might be continuity of care indices. There are many such indices (e.g., Bice-Boxerman), each with its relative strengths and weaknesses. In addition, researchers at the Robert Graham Center have recently developed a claims-based definition of comprehensiveness, which has shown modest correlation with physician self-reported measures of comprehensiveness.	28.57%	14.29%	42.86%	14.29%	0.00%	7	3.57
Service-based, claims version: All office visits and preventive services (e.g., immunizations), regardless of provider. The Medicare Payment Advisory Commission has used this definition implicitly in some older reports to Congress	0.00%	0.00%	0.00%	57.14% 4	42.86%	7	1.57
Provider- and service-based: All office visits and preventive services delivered by primary care providers (defined by specialty). This is a subset of definition 1, which includes all services delivered by specialty-defined primary care providers (not limited to office visits and preventive services).	28.57%	42.86% 3	28.57%	0.00%	0.00%	7	4.00
System-based: Health systems that support fulfillment of the cardinal functions of primary care. This option is most attractive for fully capitated systems, where service-based definitions cannot be operationalized, but measuring fulfillment of cardinal functions was outside the feasible scope of work for this study.	0.00%	14.29% 1	14.29%	28.57%	42.86%	7	2.00

Q2 For each specialty, please indicate whether you think it should be considered a part of primary care. If you pick "Under certain conditions...," you will have the opportunity to specify those conditions in the next question.









	YES, IT IS PRIMARY CARE	NO, IT IS NOT PRIMARY CARE	UNDER CERTAIN CONDITIONS IT IS PRIMARY CARE	TOTAL
Family Medicine Physician	100.00% 7	0.00%	0.00%	7
General Internal Medicine Physician	85.71% 6	0.00%	14.29% 1	7
General Pediatrician	100.00%	0.00%	0.00%	7
General Practice Physician	71.43% 5	0.00%	28.57% 2	7
Geriatrician	85.71% 6	0.00%	14.29% 1	7
Adolescent Medicine Physician	85.71% 6	0.00%	14.29% 1	7
OB/GYN	0.00%	28.57% 2	71.43% 5	7
RN Midwife	0.00%	71.43% 5	28.57% 2	7
ARNP in Family Medicine	85.71% 6	0.00%	14.29% 1	7
PA in Family Medicine	85.71% 6	0.00%	14.29% 1	7
Chiropractor	0.00%	85.71% 6	14.29% 1	7
Naturopath	28.57%	57.14% 4	14.29% 1	7
Allergist caring for person with asthma	0.00%	85.71% 6	14.29% 1	7
Nephrologist caring for person on kidney dialysis	0.00%	57.14% 4	42.86% 3	7
Emergency Physician	0.00%	100.00% 7	0.00%	7
Hospitalist	0.00%	100.00%	0.00%	7
Psychiatrist	0.00%	85.71% 6	14.29% 1	7
Psychologist	0.00%	57.14% 4	42.86% 3	7
Social Worker	0.00%	57.14% 4	42.86%	7

#	PLEASE WRITE DOWN ANY OTHER SPECIALTIES THAT SHOULD BE PART OF PRIMARY CARE (IF A SPECIALTY'S INCLUSION IN PRIMARY CARE IS CONDITIONAL, PLEASE INDICATE THIS).	DATE
1	This question is not well constructed to reflect the breadth of ARNP practice. There are ARNPs who are pediatric primary care NPs, adult-gerontology primary care NPs, adult NPs, and women's health NPs. For workforce purposes, we have included all of these as primary care. There is no RN midwife. certified registered nurse-midwives are ARNPs to whom the reference should have been made. There are also licensed midwives who would have been interesting to consider.	4/23/2020 11:52 AM

# Q3 If you marked "Under certain conditions..." for any of the specialties in Question 2, please specify what those conditions would be. If you did not mark "Under certain conditions," please skip this question.

Answered: 6 Skipped: 1

#	RESPONSES	DATE
1	Gyn could be primary care providing comprehensive, longitudinal care with continuity for generally healthy with few medical conditions. GYN is also typically the primary care provider for the duration of pregnancy For some patients with CKD or ESRD, nephrologists act as primary care providers. These patients typically only have kidney disease or kidney related medical conditions. And the provider longitudinally manages all of a patients comprehensive medical conditions and no other providers are on board	4/27/2020 3:20 PM
2	for patients under their care provides the 4 cardinal functions of the Starfield model	4/27/2020 2:36 PM
3	If working in a primary care setting (social worker or psychologist receiving warm hand offs in a primary care office is providing primary care; same providers providing services in a separate setting are not). OB/GYN is not primary care, though they are in a position to provide some primary care services.	4/23/2020 12:44 PM
4	Midwives and ob-gyns often provide primary care women's health. Internal medicine is often about more complex care and should include some primary care.	4/23/2020 11:52 AM
5	I think of the Psychologist and Social Worker as distinct members of the primary care team.	4/23/2020 10:48 AM
6	general practice - what are they doing, probably primary care but what services natropath - what services are they providing, probably primary care nephrologist - if all care is under this doc and no other primary care is involved and patient has ESRD	4/23/2020 10:40 AM